

SYSTEM FOR TOLL PAYMENT AND TRANSPORTATION MANAGEMENT

BACKGROUND OF THE INVENTION

5

1. Technical Field of the Invention

The present invention relates to an electronic toll payment system for a highway toll and a transportation management system.

10 2. Description of the Prior Art

Toll payments at a gate cause usually a traffic jam. Therefore, prepaid cards and coupon tickets are used for shortening time spent for the payment. Further, wireless communication is used for an electronic payment without
15 stopping a car, as disclosed in JP 6-59947 U (1994).

Further, a portable telephone is used in JP 11-110593 A (1999) for avoiding special apparatus.

However, these electronic payments as mentioned above require an apparatus for identifying a car which passes the
20 toll gate.

The identifying apparatus at the gate is large-scaled, because it has to determine, for preventing unfair actions, a toll which depends upon a car size, driving distance and driving section on the highway, on the basis of distinctive
25 features of the car or a special apparatus mounted on the car.

The conventional toll payment has a disadvantage that special lanes for the electronic payment must be provided together with conventional lanes for cash and prepaid cards. Therefore, the traffic jam at the gate may become heavier, in

spite of the fact that it costs much to construct these lanes.

SUMMARY OF THE INVENTION

5 An object of the present invention is to use portable telephone for the electronic toll payment, thereby avoiding special lanes, passing cars without stop, and reducing the traffic jam.

10 A portable telephone in a car is used in the present invention. Further, the portable telephone may be provided with a GPS function. Further, the portable telephone may be connected with GPS apparatus such as a car navigation system which includes a display, an audio and video device, and an input device. Such portable telephone dials up an
15 internet service provider (ISP) and sends a car ID and password. When ISP confirms an account for electronic payment, ISP requests location information and a telephone number of the portable telephone.

20 After receiving the location information, ISP searches a radio base station relevant to the location information and transmits a name of an entrance toll gate by a voice guidance or data signal. The portable telephone responds the voice guidance. When the portable telephone confirmed and responds the name and existence of the guided entrance toll
25 gate, the connection with that portable telephone is temporarily disconnected, after a guidance of starting the electronic payment.

ISP transmits, to the toll gate, the information that a car with a contraction of an electronic payment passes the gate,

thereby recording the car by using a monitoring video camera, in synchronization with the information from ISP, if necessary.

Hereafter, ISP inquires a telephone company who controls
5 the portable telephone, in order to know the location of the portable telephone.

Even when the car is in a tunnel, the portable telephone on the car may be captured by a location registration by utilizing a leakage coaxial cable, on the basis of a request from ISP.
10 The captured result is transmitted to ISP through the internet.

Thus, a driving route of the car is reliably grasped and the toll is calculated on the basis of the grasped driving route.

The toll gate does not need to identify a kind of car,
15 because the car ID in accordance with the kind of car is transmitted to ISP.

GPS may be needless, when a barrier is provided at the toll gate to shield electromagnetic waves from conventional radio base stations and when a radio base station exclusively used
20 for each toll gate is provided.

ISP may be informed of passages of cars by using special apparatuses which operates only a vicinity of the toll gate, such as a portable telephone which can be used within a relatively narrow zone near the toll gate. The driving route is
25 grasped and the toll is calculated on the basis of the information of passages of cars.

According to the present invention, the toll gate does not need to identify a kind of car, because the kind of car is identified by the car ID transmitted to ISP. Further, any

special transmission channel is not required, because conventional portable telephone is used. Further, any special apparatus for identifying car location, because the location information offered by the portable telephone, or
5 GPS is used. Further, various internet electronic payment system can be used, because the car is connected with ISP. Further, the toll gate does not need to identify the driving distance and section, because the location information from the telephone company can be utilized. Further, unfair
10 actions are prevented and safety of highway is supervised by the monitoring video camera. Thus, facilities cost is reduced greatly.

The above-mentioned cost reduction causes further cost reduction in toll collection and all the other communication
15 costs and further reduction of the traffic jam at the toll gate.

According to the present invention, not only an electronic payment system for highway toll without stopping a car, but also a cash-less system in a service area, and freight truck management system are provided.

20

BRIEF EXPLANATION OF THE DRAWINGS

Figure 1 is a block diagram of the electronic payment system for highway toll of the present invention.

25 Figure 2 is a flow chart of steps S1 to S6 of the electronic payment of highway toll of the present invention.

Figure 3 is a flow chart of steps S7 to S14 of the electronic payment of highway toll of the present invention.

Figure 4 is a flow chart of steps S15 to S23 of the electronic

payment of highway toll of the present invention.

Figure 5 is a flow chart of steps S24 to S32 of the electronic payment of highway toll of the present invention.

Figure 6 is a flow chart of steps S33 to S44 of the electronic payment of highway toll of the present invention.

Figure 7 is a flow chart of steps S45 to S53 of the electronic payment of highway toll of the present invention.

PREFERRED EMBODIMENT OF THE INVENTION

10

Figure 1 is a block diagram of an embodiment of the present invention.

Portable telephone 1 is an information terminal carried by a driver of car 2. Portable terminal 1 is connected with radio base station 3 which is connected, through switch station 4 and ISP access point 5, with internet 6. Further, internet 6 is connected through ISP 7 with toll payment unit 8. Further, a sever or toll payment unit 8 is connected through internet 6 with banking institution 9.

Radio base stations 3 are provided at prescribed locations along a highway. Concretely, entrance toll gate 11 is provided with monitoring video camera 12 for photographing car 2 passing through entrance toll gate 11. Radio base station 3 at entrance toll gate 11 communicates with portable telephone 1 in radio zone A 13. Other radio base station 3 which controls radio zone B 15 communicates with portable telephone 1, although it can not communicate with portable telephone 1, when portable telephone 1 is in tunnel 14 where the electromagnetic wave is shielded. Further, Exit toll gate

16 is provided with monitoring video camera 17, while another radio base station 3 communicates with car 2 in radio zone C 18 near exit toll gate.

A single radio zone B is shown in between the entrance and
5 exit. The more the radio zones in between the entrance and exit, the higher the accuracy of tracking car 2. Further, when radio zone B includes tunnel 14, it has an advantage to confirm that car 2 passes through tunnel 14, if the communication with portable terminal 1 is ceased for a
10 period longer than a prescribed time period. Alternatively, a leakage coaxial cable may be provided in tunnel 14, thereby communicating with another radio base station exclusively used for tunnel 14. In this case, a passage of car 2 through tunnel 14 is positively determined by the special radio base
15 station. Alternatively, a certain area such as a service area may be utilized, for determining a passage of car 2, on the basis of a characteristic communication state near the certain area. Further, radio base station 3 may be used exclusively for toll collection system of the present invention.
20 Furthermore, periodical registration of location of portable telephone executed by a conventional radio base station may be utilized.

Next, the toll collection is explained, referring to the flow charts.

25 When car 2 approaches toll gate 11 along highway 10 and the driver wishes to drive into highway 10 (S1, S2), the driver dials the number of nearby ISP access point 5 (S4), in order to utilize an electronic payment of toll. The dialing may be manually executed by the driver, or may be automatically

executed on the basis of receiving a signal for indicating that car 2 is approaching a toll gate. When the driver is not equipped with a portable telephone, the driver proceeds to a conventional receipt of ticket or a conventional payment of toll (S3).

After confirming that the dial-up access is for the electronic toll payment (S4), ISP access point 5 connects the call with ISP 7 through ISP exclusive network or internet 6. ISP 7 knows a request of electronic toll payment on a service menu and entrusts further management to toll payment unit 8. Toll payment unit 8 transmits voice guidance or voice guidance data to portable telephone 1 in order to obtain car ID (S6).

It is assumed that the Car ID is number plate information. When toll payment unit 8 controlled by ISP 7 gets the number plate information, ISP 7 searches user information stored in a memory in toll payment unit 8 in order to confirm that a preliminary set-up for the electronic payment is already completed. Further, ISP 7 searches on-line cash information in the user information in order to confirm that the toll is payable or an account exists (S7, S8, S9).

When the balance of the account is smaller than the toll, the voice guidance or voice guidance data is sent through toll payment unit 8 to portable telephone 1 in order to inquire whether or not to access banking institution 9 connected with ISP 7 through internet 6 (S10).

Then, when portable telephone 1 is connected, ISP 7 confirms information for identifying radio base station 3 (S11). When the information is not confirmed, ISP 7 confirms GPS information (S12). On the basis of these information,

the location of car 2 is deemed to be confirmed, referring to the data base concerning the location of radio base station 3. On the other hand, when GPS information is not confirmed in S12, or when the location of car 2 is not confirmed in S13,
5 conventional toll payment is recommended, by sending a guidance not to utilize the electronic toll payment (S14).

ISP 7 secures on-line cash in banking institution 9, when necessary. When the on-line cash is already secured, ISP 7 urge portable telephone 1 to input a password. Then, after
10 confirming the password, ISP 7 instruct the entrance toll gate 11, thereby sending a guidance instructing dialing a number identifying the gate number, when car 2 passes entrance toll gate 11 (S15), as shown in Figure 4. Portable telephone 1 in car 2 dials the number identifying the gate
15 number, after confirming the guidance (S16), and responds that car 2 is passing the guided entrance (S17). The response may be automatic as already mentioned.

Then, a guidance to start the electronic payment is sent to portable telephone 1 (S18), and then, a guidance to instruct
20 to confirm passing entrance toll gate 11 (S19). After confirming that car 2 passed entrance toll gate 11 (S20), the gate number is inputted by portable telephone 1 (S21). Then, passing record is made (S22), thereby stopping temporarily the connection with portable telephone 1 (S23).

25 Hereafter, toll payment unit 8 tracks car 2 (S24), as shown in Figure 5.

As already mentioned, when the electromagnetic wave is received again after an interruption due to a tunnel for more than a prescribed period of time such as a prescribed period

of time for the location confirmation, a conventional location registration is tried by radio base station 3 which controls each area of the highway.

5 Toll payment unit 8 tracking car 2, by collecting the location registration information through internet or other network. Concretely, it is determined whether car 2 has passed tunnel 14 along highway 10, on the basis of the interruption of communication for more than the prescribed period of time (S25). Alternatively, it is determined whether
10 car 2 is connected with radio base station 3 for a specified area in tunnel 14 (S26). A passage through tunnel 14 is determined (S27) either by S25 or S26. Then, portable telephone 1 in car 2 is captured (S28) and connected (S29). Further, when it is confirmed that electronic payment service
15 is effective for car 2 (S30), portable telephone 1 in car 2 is connected with ISP 7 (S31), thereby recording a driving route of car 2 which has passed tunnel 14, referring to the database for tunnel 14 and its location (S32).

The location registration of car 2 is not renewed, when car
20 2 takes a rest in a service area, runs through a long tunnel or a mountain area, although the location registration of car 2 is renewed for an arbitrary period of time. Therefore, when the location registration is not renewed for a prescribed time period, or when the user wishes to know the necessary
25 electronic cash, toll payment unit 8 calls periodically portable telephone 1, thereby sending a guidance for toll or location confirmation and instructing an input of necessary data. When a plurality of tunnels exists in an area, the tracking of car 2 may be conducted only by connecting radio

base station 3 which controls that area.

The location registration is not renewed for a long time, or the periodical call from toll payment unit is not received for a long time, probably due to a shortage or stoppage of battery or other causes. In this case, the driving route is not determined. Therefore, the electronic payment is cancelled, or a registration number for the electronic payment is sent to a conventional toll gate. Further, possible ways for registering an electronic payment may be provided, even when car 2 has received a conventional traffic card at an entrance gate.

Portable telephone 1 may also call ISP for selecting a service menu for paying a shopping or refueling in a service station. Such an electronic payment fills up a long time stoppage of renewal of the location information. A terminal in a store is connected through internet with a service control unit in ISP, when portable telephone dials up ISP for an electronic payment of the shopping in the service area, selects the service menu, and inputs the car ID.

Shopping in a service area may be settled, when portable telephone 1 calls ISP (S33) and does not utilize the electronic toll payment (S34).

The service area is easily identified by radio base station (S35), when portable telephone 1 requests the electronic payment in that service area. Portable telephone 1 may input a serial number of a cash register, even when a hard cash is requested by the store. Then, ISP is connected through internet with that cash register, and the cash register send payment information to ISP. ISP sends a sum

of money to portable telephone 1, when the payment requested by the cash register is smaller than the on-line cash. Portable telephone 1 notifies ISP of the electronic payment of the shopping, after confirming the sum of money
5 for the shopping. The shopped goods are handed over, when ISP notifies the cash register of a completion of the payment (S36). When the electronic payment is not executed in S36, portable telephone 1 sends its location to radio base station (S37). When the location of portable telephone 1 is not
10 notified to radio base station in S37, then S33 is executed.

In this manner, the electronic toll payment is started in A zone as shown in Figure 1, the tracking of car 2 is conducted in B zone, and the toll payment is finished in C zone.

Portable telephone 1 manually or automatically dials up
15 nearby ISP (S34). When car 2 approaches exit gate 16 (S38), portable telephone 1 inputs car ID and its password (S39) in accordance with a guidance of ISP which in turn notifies toll payment unit 8 of the car ID. When the inputted password is identified (S40), toll payment unit 8 starts rapidly obtaining
20 information for deciding an exit gate, by inquiring switch station 4 of the location of radio base station 3 which controls the zone where portable telephone 1 exists (S42). Toll payment unit 8 may also requests, to portable telephone, GPS location information. On the other hand, when the
25 inputted password is not correct In S40, toll payment unit 8 notifies portable telephone 1 of a guidance that electronic payment service is not executed (S41).

After obtaining the location information, car ID and the location registration (S43), toll payment unit 8 searches an

exit gate (S44), and inquires exit gate 16 whether or not the searched exit gate is the same as the car driver sees (S45). When they are the same (S46), portable telephone 1 responds that they are the same (S47). Then, toll payment unit 8
5 calculates a toll for the driving route and starts the toll payment (S48). Then, a guidance of toll information for preventing a miscalculation (S49) and a guidance of exit gate (S50) are sent to portable telephone 1. Further, the exit gate number is inputted by portable telephone 1 for a confirmation
10 (S51). The electronic accounting of the toll is finished by the input of the exit gate number. Then, monitor video camera is switched on for monitoring that car 2 goes out of the highway (S52). The electronic payment toll payment is finished by a prescribed dialing, when car 2 passes the exit
15 gate, and portable telephone 1 is disconnected with ISP (S53).

The present invention is applied not only to the toll payment, but also to electronic payment of shopping in a service area and refueling in a service station, and traffic management in transportation companies.

20 For example, it is assumed that a freight truck departed from a truck terminal. The contents of freight and a truck ID are stored in a service control unit in ISP. The portable telephone in the truck dials up ISP, selects a service menu, and inputs the truck ID, at the time of departure. In
25 accordance with the ID input, the tracking of the freight truck is started by the service control unit in ISP. Hereafter, an arrival time may be sent to the truck or the truck terminal. The present freight state may be renewed at times of load and unload, by inputting or scanning freight numbers. Safe

arrivals to destinations may be notified. Such items are managed by the service control unit in ISP.

Each truck terminal is a counterpart of the highway toll gate. The truck terminal may be shared by a plurality of transportation companies. In this case, an available gate number in a warehouse is notified to portable telephone, in accordance with the truck ID. Further, a list of load and unload is notified and confirmed by ISP.

10

15

20

25